

62
[1958]
-58 Ra

Exotic HOUSE PLANTS

LIBRARY
RECEIVED
★ MAR 11 1958 ★
U. S. Department of Agriculture

JULIUS ROEHRS CO., RUTHERFORD, N. J.

For more complete and descriptive information on House plants and their care, we recommend our books by A. B. GRAF:

"EXOTIC PLANTS ILLUSTRATED"

Their Background and Requirements (5th Edition)
1,300 plants pictured, 96 pages — \$2.50



New, large Reference book "EXOTICA"

PICTORIAL CYCLOPEDIA OF INDOOR PLANTS


644 pages, bound in buckram, with 4,000 illustrations of plants arranged by families, 85 shown in color; 3,000 Common Names; Botanical Terms; Descriptive Text; Information on Care; Methods of Propagation; Geographic and Climatic Background. A book every plant lover will want, and a beautiful gift — \$17.50 and postage (50c).

SHIPPING ORDERS: Because of limited mother stock, orders are accepted with the understanding that they will be shipped only if and when saleable plants are available beyond needed propagating stock. If we cannot ship within a reasonable time, we will back order these plants, but return your remittance.

Cash with order. Shipments \$10.00 or over are sent prepaid (except when weight or size is unusual), parcel post special handling, or express, to destinations east of the Mississippi. Western states add 5% to cover additional postage. On orders under \$10.00 add \$1.00 to help cover cost of handling and postage. Minimum of \$5.00 on mail orders. Air shipments on request, collect. Foreign shipments via air freight, free of soil, f.o.b. New York. Plants will be sent in plastic or paper pots wherever possible; Orchids, unless requested otherwise, in clay pots, in which case we send transportation collect. We will pack carefully, but cannot be held responsible for poor arrival because of the perishable nature of many exotic plants. We try to avoid shipping during cold weather.



Plant lovers are cordially invited to visit our 130 greenhouses, any day of the week; however, sales in our Exotics department cannot be made Saturday p.m. or Sunday when our specialists are not available. The greenhouses are located on Paterson Avenue, via Highway 3, 8 miles from Lincoln Tunnel, New York. Inter-City Bus No. 35 from Port Authority Terminal in Manhattan, to Park Avenue, East Rutherford, then continue same direction 1 mile Bus No. 3.



EXOTIC HOUSE PLANTS

PRICE LIST E-58

As Wholesale Growers we must depend on quantity production of popular Flowering and Foliage plants. Aside from these, we maintain a large collection of the more unusual indoor plants. Because of limited propagating stock, such Exotics are not readily available at all times, and our listings are therefore subject to supply. Specimen Plants for decorative purposes quoted on request.

SIZES indicated are relative and determined by growth habit:

SMALL plants generally are offshoots, divisions or rooted cuttings from 2 1/4" or 3" pots.

MEDIUM size are more matured plants, usually 4" or 5" pots.

LARGE size will be good sized plants and may be in 5", 6", 7" or 8" pots, or larger.

COLLECTIONS. For your convenience, we offer the following selections of plants, properly labeled, at substantial savings in price:

| | |
|--------------------------------------|---------|
| 5 house plants, assorted | \$ 8.50 |
| 10 house plants in good selection | 21.00 |
| 10 hanging plants and trop. creep. | 7.50 |
| 10 dwarf Terrarium plants | 4.50 |
| 5 fancy tropical plants | 17.50 |
| 5 Bromeliads, different types | 8.50 |
| 10 Bromeliads, good selection | 17.50 |
| 20 Bromeliads, col. of fancy var. | 65.00 |
| 10 Cacti, suit. for pottery plantg. | 4.00 |
| 25 Cacti, col. all different | 10.00 |
| 10 Succulents, for novelty plantg. | 3.00 |
| 25 Succulents, interesting col. | 9.00 |
| 10 African Violets, Stand. Ass't | 8.50 |
| 25 African Violets, in best sel. | 20.00 |
| 10 African Violets, all fancy var. | 12.00 |
| 5 orchids, dif. types, for beginners | 18.00 |
| 10 Orchids, all around collection | 41.00 |

| | | |
|-------------------------------------|---------------|-------------|
| ABELIA grandiflora 'Edward Goucher' | 3" | 2.00 |
| ABUTILON hybrids, orange, white, | | |
| pink, yellow | S 1.00 M | 3.00 |
| megapot. varieg. | S 1.00 M | 2.00 |
| striatum Souvenir de Bonn | S 1.00 M | 2.00 |
| striatum Thompsonii | S 1.00 M | 2.00 |
| ACACIA armata paradoxa | 4" | 5.00 and up |
| ACALYPHA sanderi (hispida) | S 2.50 M | 7.50 |
| godseffiana | S 1.50 L | 7.50 |
| wilkesiana macafeana | S 1.50 L | 7.50 |
| wilkesiana obovata | S 2.00 L | 7.50 |
| ACANTHUS montanus | S 2.50 M | 5.00 |
| ACORUS gramineus albo-varieg. | S | .50 |
| gramineus pusillus | S | .75 |
| AGAPANTHUS africanus | 5" | 4.00 |
| AGLAONEMA angustifolia | S | 2.50 |
| commutatum | S 1.00 M | 2.50 |
| commutatum albo-variegata | S | 2.50 |
| costatum | S | 3.50 |
| cuscutaria | S | 2.50 |
| hospitum | S | 4.00 |
| modestum | 2 1/4" .70 3" | 1.50 |
| oblongifolia | M | 10.00 |
| oblongifolia curtisii | M | 15.00 |
| pictum | S | 5.00 |
| (Schismatogl.) roebelinii | S 2.50 M | 5.00 |
| simplex | S | 2.50 |
| treubii | S 3.50 M | 7.50 |
| ALLAMANDA cath. hendersonii | S 1.50 M | 4.00 |
| neriifolia | S 2.00 M | 5.00 |
| ALOCASIA chantrieri | M | 7.50 |
| cucullata | S 3.00 M | 7.50 |
| cuprea | S 5.00 M | 7.50 |
| indica metallica | M | 4.00 |
| lindenii | S | 12.00 |
| longiloba | S 5.00 M | 7.50 |
| amazonica | S 7.50 M | 10.00 |
| macrorrhiza variegata | S | 6.00 |
| odora | S 5.00 M | 12.00 |
| sanderiana | S 6.00 M | 8.00 |
| sedeni | S | 7.50 |
| zebrina | M | 10.00 |

left to right:

BEGONIA glaucophylla

SYNGONIUM Emerald Gem

SCINDAPSUS argyraeus

BEGONIA Rex-Diadema

AGLAONEMA costatum





left to right:

XANTHOSOMA lindenii

CALATHEA roseo-lineata

AGLAONEMA roebelinii

ANTHURIUM andreanum

| | | | | | |
|---|------------------|-------|----------------------------------|-----------------|------|
| ALPINIA sanderae | S | 3.50 | Kurume: Coral Bells (Kirin) etc. | M | 2.50 |
| ALTERNANTHERA yellow and red | 3" | 1.00 | BAMBUSA multiplex 'Fernleaf' | M | 7.50 |
| versicolor | 3" | 1.00 | BAUHINIA purpurea | M | 1.00 |
| AMOMUM cardamon | 3" 2.00 4" | 3.00 | BEGONIA acetosa | 3" | 1.50 |
| ANTHURIUM andreanum album | M | 12.00 | aconitifolia | S | 1.50 |
| andreanum hybrid | M 7.50 L | 12.00 | argenteo-guttata, Angel Wing | M | 1.50 |
| andreanum rhodochlorum | M 15.00 L | 25.00 | boweri | 3" | 2.00 |
| andreanum roseum | M 10.00 L | 20.00 | boweri major | 3" | 1.50 |
| bakeri | S | 3.00 | bunchii | 3" | 2.00 |
| corrugatum | M | 7.50 | Cleopatra | S | 1.50 |
| crystallinum | S 2.00 M 4.00 up | | compta | S | 1.00 |
| digitatum | M | 5.00 | decandra | 3" | 1.50 |
| dussii | M | 7.50 | Dorothy Grant | 3" | 1.50 |
| elegans | M | 7.50 | epipsala | 3" | 2.00 |
| forgetii | S 2.50 M | 4.00 | feastii, Beefsteak Beg. | S 1.00 M | 2.50 |
| pedato-radiatum | M | 7.50 | foliosa | S | 1.00 |
| pentaphyllum | M | 6.00 | fuchsioides | S | .75 |
| radicans | S | 10.00 | fuscomaculata | 3" | 1.50 |
| scandens | S | 3.00 | glaucophylla | S 1.00 M | 2.00 |
| schzerianum | S 3.50 M | 7.50 | goeogensis | S | 3.50 |
| tetragonum | M | 7.50 | haageana (Scharffii) | S 1.00 M | 2.00 |
| variabile | M | 5.00 | heracleifolia | S 1.50 M | 3.50 |
| veitchii | S 10.00 M | 20.00 | hydrocotylifolia | S 1.00 M | 2.00 |
| warocqueanum | S 7.50 M | 20.00 | 'Iron Cross' | S 3.50 M 5.00 L | 7.50 |
| wrightii | M | 12.00 | Lady Wallow | 3" | 1.00 |
| APHELANDRA aurantiaca | 3" | 1.50 | longipes petiolata | 3" | 1.50 |
| chamissoniana | 3" | 2.50 | lucerna | S 1.00 M | 2.00 |
| fascinator | 3" | 3.00 | macrocarpa | 3" | 1.50 |
| nitens | 3" | 3.50 | manicata aureo-cristata | S 1.50 M | 4.00 |
| squarrosa | 3" 2.50 M | 5.00 | metallica | S 1.00 M | 2.00 |
| squarrosa leopoldii | 3" | 2.50 | Neeley Gaddis | 3" | 1.50 |
| squarrosa louisae | 3' 2.50 L | 4.00 | Nellie Bly | S 1.00 M | 2.00 |
| ARALIA see Poliscias balfouriana | | | nelumbifolia | 3" | 1.50 |
| ARALIA elegantissima | S 2.50 M 4.00 L | 8.00 | nitida odorata | S | .75 |
| (Fatsia) Sieboldi | M 4.00 up | | orange - rubra | S 1.50 M | 2.50 |
| ARAUCHARIA excelsa | 5" | 5.00 | orrell | 3" | 1.00 |
| ARDSIA crenulata | S .50 M | 1.50 | Pinafore | 3" | 1.50 |
| ASPARAGUS myrtifolius (Smilax) | 3" | 1.00 | quadrilocularis | 3" | 1.50 |
| plumosus | M | 1.00 | rex diadema Fairy | 2" .75 M | 1.50 |
| sprengeri | S .50 M | 1.50 | rex diadema Helen Teupel | 2" .75 3" | 1.50 |
| ASPIDISTRA lurida varieg. | S 3.50 M | 7.50 | rex diadema Salamander | S .75 M | 1.50 |
| AUCUBA japonica variegata | S 1.25 M | 2.50 | rex Axel Lange | 2" 1.00 M | 1.50 |
| japonica goldiana | S 2.00 M | 4.00 | rex Bella | 2" .75 M | 1.50 |
| AZALEAS | | | rex Corkscrew | 2" .75 M | 1.50 |
| Rhododendron Simsii hybrids (large Bel- | | | rex Her Majesty | 2" 1.00 M | 1.50 |
| gium indica:) | | | rex Lucy Closson | 2" 1.00 M | 1.50 |
| Memoria Sanders, Vervaeneana, Mad. | | | rex Meteor Superba | 2" .75 M | 1.50 |
| Petrick, Albert and Elizabeth, Jean | | | rex Peace | 2" .75 M | 1.50 |
| Haerens, Triomphe, etc. | M 3.50 | | rex Pres, Carnot | 2" .75 M | 1.50 |
| Dwarf Austrian indica: Hexe | M 2.50 | | rex Silver Queen | 2" .75 M | 1.50 |
| Rutherfordiana (Bobbink): | | | rex Vesuvius | 2" 1.00 M | 1.50 |
| Alaska, Snow Queen | M 3.50 | | rubro-venia (Silver) | 3" | 1.75 |
| Pericat hybrids: | | | Saxony | S 1.00 M | 2.00 |
| Sweetheart Supreme, Rose Pericat | M 2.50 | | scabrida | 3" | 2.00 |

left to right:

TILLANDSIA lindenii

ANANAS com. varieg.

AECHMEA fulgens disc.



| | | | | | |
|--------------------------|--------|--------|----------------------------|---|-------|
| schmidtiana | 3" | 1.00 | iridifolia concolor | M | 2.00 |
| Sir Percy | 3" | 1.75 | leptopoda | M | 2.00 |
| Stitchleaf | S | 2.00 | macrocalyx | M | 2.00 |
| templinii | 3" | 1.50 | nutans | M | .75 |
| ulmifolia | 3" | 1.50 | pallescens | M | 1.00 |
| venosa | 3" | 1.50 | pyramidalis | M | 1.50 |
| BELOPERONE guttata | S 1.00 | M 2.00 | pyramidalis concolor | M | 3.00 |
| comosa, red | 3" | 2.00 | saundersii | M | 3.50 |
| BIGNONIA tweediana | 3" | 1.75 | saundersii hybrids | M | 2.00 |
| BOEHMERIA argentea | M | 5.00 | vittata | M | 2.50 |
| BOUVARDIA ternifolia | S 1.00 | M 2.50 | zebrina | M | 5.00 |
| ternifolia Giant Pink | S | 1.00 | CRYPTANTHUS acaulis | M | .50 |
| ternifolia Joy | S | 1.25 | acaulis diversifolius | M | 1.50 |
| longiflora humboldtii | S | 1.00 | acaulis ruber | M | .50 |
| BOUGAINVILLEA glabra | S | 1.50 | beuckeri | M | .75 |
| harrisii (variegated) | S | 2.50 | bivittatus luddemanni | M | 3.00 |
| Temple Fire | 5" | 7.50 | bromelioides tricolor | M | 1.50 |
| BOWIEA volubilis | S | 2.00 | fosteriana | M | 3.50 |
| | | | lacerdae | M | 1.25 |
| | | | osyanus | M | 1.50 |
| | | | (bivittatus) roseus pictus | M | .50 |
| | | | rubescens | M | 1.25 |
| | | | zebrinus | M | 2.50 |
| | | | zonatus | M | 1.50 |
| | | | CRYPTBERGIA meadii | M | 1.00 |
| | | | DYCKIA brevifolia | M | 1.00 |
| | | | leptostachys | M | 2.50 |
| | | | GUZMANIA monostachya | M | 3.50 |
| | | | musaica | M | 15.00 |
| | | | zahnii | M | 15.00 |
| | | | HECHTIA glomerata | M | 5.00 |
| | | | HOHENBERGIA stellata | M | 5.00 |
| | | | NEOREGELIA bahianus | M | 3.50 |
| | | | carolinae | M | 5.00 |
| | | | car. tricolor | M | 5.00 |
| | | | charcorodon | M | 7.50 |
| | | | chlorosticta | M | 3.00 |
| | | | farinosa | M | 7.50 |
| | | | fosteriana | M | 5.00 |
| | | | hyb. tristis x marmorata | M | 3.00 |
| | | | marechalii | M | 4.00 |
| | | | marmorata | M | 4.00 |
| | | | princeps | M | 5.00 |
| | | | spectabilis | M | 5.00 |
| | | | tristis | M | 2.00 |
| | | | NIDULARIUM amazonicum | M | 7.50 |
| | | | citrinum | M | 3.50 |
| | | | fulgens | M | 5.00 |
| | | | innocentii striatum | M | 4.00 |
| | | | innocentii francois-spa | M | 5.00 |
| | | | innocentii lineatum | M | 15.00 |
| | | | morreniana | S | 3.50 |
| AECHMEA calyculata | M | 2.50 | | | |
| caudata variegata | M | 7.50 | | | |
| fasciata albo-marginata | M | 20.00 | | | |
| fasciata | M | 5.00 | | | |
| fasciata variegata | M | 20.00 | | | |
| fosteriana | M | 5.00 | | | |
| fulgens | M | 5.00 | | | |
| fulgens discolor | M | 4.00 | | | |
| Hybrid Bert | M | 5.00 | | | |
| Hybrid Foster's Favorite | M | 3.00 | | | |
| hystrix | M | 12.50 | | | |
| maginali | M | 5.00 | | | |
| marmorata | M | 3.50 | | | |
| mexicana | M | 5.00 | | | |
| miniata discolor | M | 4.00 | | | |
| nudicaulis | M | 2.50 | | | |
| orlandiana | M | 3.50 | | | |
| ortgiesii | M | 3.00 | | | |
| pineliana | M | 3.50 | | | |
| racinae | M | 2.50 | | | |
| ramosa | M | 7.50 | | | |
| Royal Wine | M | 5.00 | | | |
| schultesiana | M | 6.00 | | | |
| weilbachii | M | 4.00 | | | |
| ANANAS comosus | M | 3.50 | | | |
| comosus variegatus | M | 20.00 | | | |
| BILLBERGIA amoena | M | 2.00 | | | |
| amoena rubra | M | 2.50 | | | |
| amoena viridis | M | 5.00 | | | |
| distachia | M | 1.50 | | | |
| distachia hybrid | M | 1.25 | | | |
| euphemiae | M | 1.25 | | | |
| horrida | M | 3.50 | | | |



left to right:

DIEFFENBACHIA picta

PANDANUS veitchii

DIEFFENBACHIA R. Roehrs

DRACAENA massangeana

| | | |
|--------------------------|---|-------|
| purpurescens | M | 3.50 |
| PITCAIRNIA caroliniae | M | 5.00 |
| PUYA chilensis | M | 1.50 |
| QUESNELIA arvensis | M | 7.50 |
| liboniana | M | 1.50 |
| TILLANDSIA circinata | M | 1.50 |
| fasciculata | M | 4.00 |
| lindenii | M | 15.00 |
| VRIESIA carinata (Marie) | M | 3.50 |
| fenestralis | M | 10.00 |
| guttata | M | 10.00 |
| hieroglyphica | M | 20.00 |
| hyb. erecta | M | 5.00 |
| hyb. favorite | M | 6.00 |
| hyb. magnifica | M | 5.00 |
| hyb. poelmanii | M | 6.00 |
| hyb. polonia | M | 5.00 |
| imperialis | M | 5.00 |
| incurvata | M | 3.50 |
| philippo-coburgi | M | 5.00 |
| splendens maior | M | 7.50 |

| | | |
|----------------------------------|---|------|
| BRUNFELSIA calycina (floribunda) | M | 4.00 |
| BUXUS japonica | S | .50 |

CACTUS: see Succulents

| | | |
|-----------------------------|-----------------|------|
| CALADIUM hyb. Ace of Hearts | t. .50 6" p | 4.00 |
| hyb. Candidum | tubers .50 6" p | 3.50 |
| hyb. John Peed | tubers .50 6" p | 4.00 |
| hyb. Macahyba | tubers .50 6" p | 4.00 |
| hyb. Marie Moir | tubers .50 6" p | 4.00 |
| Strapleaf | tubers .75 4" p | 3.00 |

| | | |
|--------------------------|----|------|
| CALLIANDRA inaequilatera | 4" | 2.50 |
| CALLISTEMON lanceolatus | 4" | 2.00 |

| | | |
|-------------------------------|----|------|
| CALLIOPSIS (Dwarf Calla Lily) | | |
| volkensii | 2" | 3.00 |

| | | |
|------------------------------|----------|-------|
| CAMELLIA japonica alba plena | S 4.00 M | 10.00 |
| japonica Colonel Firey | S 4.00 M | 10.00 |
| japonica Debutante | S 2.50 M | 8.00 |
| japonica W. S. Hastie | S 3.00 M | 8.50 |
| jap. Princess Bochinachi | S 3.00 M | 8.50 |

| | | |
|--------------------------|---|------|
| CAREX morrowii variegata | S | 3.00 |
| CESTRUM nocturnum | S | 2.00 |

| | | |
|------------------------------|----------|------|
| CHAMAEDOREA elegans | S 1.00 M | 5.00 |
| CHAMAERANTHEMUM gaudichaudii | S | .75 |

| | | |
|---------|----|------|
| igneum | 2" | 2.00 |
| venosum | S | 1.50 |

| | | |
|--------------------------|----|------|
| CHIMONANTHUS grandiflora | 4" | 2.00 |
|--------------------------|----|------|

| | | |
|-----------------|----------|------|
| CHLOROPHYTUM | | |
| com. Mandaianum | S 1.00 M | 2.00 |

| | | |
|--------------------|---------|------|
| comosum picturatum | M | 2.50 |
| elatum vittatum | S .75 M | 1.50 |

| | | |
|-----------------------------|---------|------|
| CHRYSANTHEMUM, Indoor vars. | S .75 M | 4.00 |
| CISSUS adenopodus | M | 1.25 |

| | | |
|-------------|----|------|
| albo-nitens | 3" | 1.50 |
| amazonica | 3" | 3.00 |

| | | |
|-------------------|----|------|
| antarctica minima | 3" | 2.00 |
| bowmannii | M | 5.00 |

| | | |
|--------------|---|------|
| braziliensis | M | 3.00 |
|--------------|---|------|

| | | |
|----------------------------------|------------|---------|
| discolor | 3" | 1.50 |
| erosa | 3" | 1.00 |
| quadrangularis | S | 1.00 |
| (Parthenocissus) henryana | 3" | .75 |
| rhombifolia (Rhoicissas) | S .50 M | 1.50 |
| rhombifolia mandaianum | S .75 M | 2.00 |
| sicyoides | 3" | 1.00 |
| (Vitis) striata | 2" | 1.50 |
| CITRUS ponderosa | 3" 2.50 L | 50.00 |
| taitensis | 3" | 2.50 |
| CLERODENDRUM bungei | S 1.50 M | 4.00 |
| fallax | M | 2.50 |
| thomsonae | 3" 1.50 5" | 5.00 |
| trichotomum | 4" | 2.50 |
| CLIVIA miniata | M | 7.00 |
| CLUSIA lanceolata | 3" | 3.00 |
| rosea | 3" | 2.00 |
| COCCOLOBIS grandiflora | M | 10.00 |
| uvifera, Sea Grape | M | 3.00 |
| COFFEA arabica (Coffee) | M | 4.00 |
| COLEUS Lord Falmouth | S | 1.00 |
| assorted | S | .50 |
| COLOCASIA antiquorum fontan. | S 1.50 M | 5.00 |
| CONVOLVULUS cneorum | 3" | 1.00 |
| CORDYLINE australis | M | 3.00 |
| terminalis Baby Ti | S 2.50 M | 4.00 |
| terminalis 'Firebrand' | S 2.00 M | 3.50 |
| COSTUS malortieanus (zebrinus) | | |
| Stepladder Plant | 3" 2.50 M | 4.00 |
| sanguineus | 3" | 5.00 |
| speciosus | S | 1.50 |
| CROSSANDRA undulifolia | 3" | 1.50 |
| CROTON aucubifolia | S | 1.00 |
| Appleleaf | S 2.00 M | 4.00 |
| (Codiaeum) var. bogoriense | 3" | 3.00 |
| genuinum aureo-maculatum | S | 1.00 |
| large leaf hybrid | M 2.50 L | 7.50 up |
| moluccanum Craigii | S | 2.50 |
| pictum Baronne de Rothschild | M | 3.50 |
| spirale (Corkscrew) | S 2.00 M | 4.00 |
| CUPHEA, platycentra, Cigar Plant | 4" | 2.00 |
| CURCULIGO capitulata | M | 5.00 |
| CYANOTIS somaliensis, Pussy Ears | S | .50 |
| CYCAS revoluta | 6" | 7.50 |
| CYMBALARIA muralis | S | .50 |
| CYPHERUS alternifolius | S .50 M | .75 |
| alternifolius nanus | S | 1.50 |
| diffusus | S .75 M | 1.25 |
| DATURA suaveolens | 4" 3.50 M | 10.00 |
| DICHORISANDRA (Tradescantia) | | |
| albo-marginata | 4" | 1.50 |
| reginae | S | 1.50 |
| thyrsiflora | 3" | 1.00 |
| DIEFFENBACHIA Arvida | M | 6.00 |
| amoena | S 3.00 L | 6.00 |
| barraquiniana | S 2.00 M | 4.00 |
| bausei | S 2.00 M | 4.00 |

left to right:

NEPHROLEPIS whittmannii

PLATYCERIUM alcorniae

SELAGINELLA caulescens

ADIANTUM wrightii



| | | |
|---------------------------------------|----------|------------|
| daguense | L | 12.00 |
| delecta | S | 5.00 |
| fournieri | M | 7.50 |
| fosteri | S | 2.50 |
| hoffmannii | M | 5.00 |
| lancifolium (angustifolia) | M | 10.00 |
| leoniae | M | 4.00 |
| leopoldii | S 3.00 | M 5.00 |
| memoria corsii | M | 4.00 |
| oerstedii | S 2.00 | M 4.00 |
| oerstedii variegata | S | 2.50 |
| parlatorei marmorea | M 6.00 | L 10.00 |
| picta | S 1.00 | M 2.50 |
| picta jenmannii | S2.50 | M 4.00 |
| picta R. Roehrs | S 1.50 | M 3.00 |
| picta 'Roehrs superba' | M | 3.00 |
| picta shuttleworthii. Silver | M | 5.00 |
| picta viridis | S 1.00 | M 3.00 |
| pittieri | M | 5.00 |
| seguina 'Sao Antonio', white petioles | M | 4.00 |
| splendens | S 2.50 | M 4.00 |
| DIOSMA reevesii | 3 1/2" | 2.00 |
| DRACAENA deremensis longii | S | 3.50 |
| deremensis warneckeii | S 1.50 | M 3.50 |
| Draco | S 2.50 | M 5.00 |
| fragrans massangeana | S 1.50 | M 3.00 |
| fragrans lindenii | S 2.00 | M 4.00 |
| fragrans victoriae | S 5.00 | M 10.00 |
| godseffiana 'Florida Beauty' | S 1.00 | 3" 2.00 |
| goldiana | M 20.00, | L 25.00 up |
| marginata | S 2.00 | M 5.00 |
| masseffiana | S 1.50 | M 3.00 |
| rothiana | M 5.00 | and up |
| sanderiana | S 5.00 | M 1.50 |
| terminalis Baby Ti | S 2.50 | M 4.00 |
| DRIMIOPSIS kirkii | S 3.00 | M 6.00 |
| ELEAGNUS pungens variegata | M | 6.00 |
| EPIPHEMNOPSIS media | S | 3.50 |
| EPIPHEMNOPSIS falcifolium | M | 3.00 |
| pinnatum | M | 3.00 |
| EUCHARIS grandiflora | 3" | 3.00 |
| grandiflora Moorei | 4" | 4.00 |
| EUONYMUS japonicus Silver Queen | S | .50 |
| fortunei uncinatus | 2" | .75 |
| japonicus Yellow Queen | S | .50 |
| microphyllum variegatus | S | 1.00 |
| radicans argentei-marginata | S | .75 |
| EURYA japonica variegata | M | 7.50 |
| FATSIEDERA lizei | S .75 | M 2.50 |
| lizei variegata | S | 2.50 |

Ferns

| | | | |
|-------------------------------------|---------|------------|--------|
| ADIANTUM caudatum | S | .60 | M 2.00 |
| cuneatum | S | .60 | M 2.00 |
| dec. Pacific Maid | S | .75 | M 2.00 |
| ten. wrightii | S | .75 | M 2.00 |
| ALSOPHILA australis | M | 10.00 | |
| ASPLENIUM viviparum | S | 2.00 | |
| nidus -avis | S 1.50 | M 4.00 | |
| CIBOTIUM schiedei | S 2.50 | L 15.00 | |
| CYATHEA arborea | L | 50.00 | |
| CYRTOMIUM falcatum rochefordianum | S .50 | M 2.50 | |
| DAVALLIA fijeensis | M | 6.00 | |
| fijeensis plumosa | S 2.50 | M 5.00 | |
| griffithiana | S | 2.50 | |
| mariesii | S 2.50 | M 7.50 | |
| DICKSONIA fibrosa | 4" | 3.00 | |
| DORYOPTERIS pedata | 3" | 2.50 | |
| LYGODIUM scandens | S | 2.50 | |
| NEPHROLEPIS cordifolia tessellata | S | 1.50 | |
| exalt. bostoniensis compacta | M | 3.00 | |
| exalt. childsii | S | 2.00 | |
| exaltata hillii | S 1.50 | M 4.00 | |
| exalt. Roosevelt plumosus | S 1.00 | M 3.50 | |
| exalt. whitmannii | S .75 | M 3.00 | |
| philippinense | 3" | 1.25 | |
| PELLAEA rotundifolia | 2" 1.50 | 3" 2.50 | |
| viridis | S | .35 | |
| PLATYCERIUM aethiopicum | 2" 3.00 | M 10.00 up | |
| alcorniae majus | M 7.00 | L 15.00 | |
| bifurcatum | 2" 2.00 | M 6.00 up | |
| grande | 2" 5.00 | M 15.00 up | |
| hillii | M 7.50 | L 15.00 | |
| lemoniei | M 7.50 | L 15.00 | |
| POLYPODIUM irioides (polycarpon) | 3" | 2.00 | |
| mandaianum | S 1.00 | M 5.00 | |
| meysenianum | M | 7.50 | |
| POLYSTICHUM (Aspidium) tsus-sinense | S | .50 | |
| PTERIS cretica albo-lineata | S | .35 | |
| cretica rivertoniana | S | .35 | |
| cretica wilsonii | S | .35 | |
| cretica wimsettii | S | .35 | |
| ensiformis victoriae | S | .40 | |
| flabellata | S | .40 | |
| longifolia | S | 2.50 | |
| quadriaurita argyreae | S | .40 | |
| semipinnata | S | .35 | |
| tiemula | S | .35 | |
| SELAGINELLA caulescens | M | 1.25 | |
| kraussiana (denticulata) | M | 1.00 | |
| kraussiana brownii | S | .40 | |



left to right:

IXORA coccinea

FICUS exotica

ANTHURIUM scherz.

HOFFMANNIA ghiesbr.

MIMOSA pudica

| | | |
|------------------------|----------|------|
| emmelliana | S | .75 |
| martensii | 3" | 2.00 |
| martensii variegata | 3" | 3.00 |
| martensii watsoniana | S | 2.00 |
| uncinata | S | 1.50 |
| wildenovii | S 2.00 M | 2.50 |
| STENOCHLAENA palustris | M | 3.00 |

| | | |
|------------------------|------------------|----------|
| FICUS altissima | M | 4.00 |
| australis | S 2.00 M | 2.50 |
| carica, Mission Fig | 3" 2.00 8" | 10.00 |
| elastica | M 2.00 L | 4.00 |
| elastica decora | M 3.50 L | 6.00 |
| elastica doescheri | M 3.00 L | 6.00 |
| benjamina exotica | S 2.00 L | 4.00 |
| Krishnae | S 5.00 M | 8.00 |
| neriifolia | S | 3.00 |
| nitida | S 2.00 M | 4.00 |
| pandurata | M 6.00 L | 15.00 up |
| philippinensis | S | 3.00 |
| quercifolia | S | 2.50 |
| radicans variegata | 2" 1.00 3" | 2.50 |
| religiosa | S 3.50 M 8.00 up | |
| repens | 2" .75 3" | 1.25 |
| repens pumila | 2" 1.00 3" | 2.00 |
| rubiginosa variegata | S 3.00 M | 6.00 |
| utilis (Nekbudu) | M | 7.50 |
| FITTONIA argyroneura | 3" | 1.00 |
| verschaffeltii | 3" | 1.25 |
| verschaffeltii pearcei | 3" | 1.00 |

FRANCISCEA: see Brunfelsia

| | | |
|------------------------|----------|------|
| FREYCINETIA multiflora | M | 5.00 |
| FUCHSIA bohnstedtii | S | 2.00 |
| GARDENIA jasminoides | S 1.50 M | 4.00 |
| radicans | S | 3.50 |
| veitchii | S .75 M | 3.00 |
| GEOGENANTHUS undatus | 3" | 2.50 |

GESNERIADS

| | | |
|-----------------------------------|----|------|
| AESCHYNANTHUS marmoratus | M | 2.00 |
| pulcher | S | 1.00 |
| speciosus | S | 1.25 |
| ALLOPLECTUS lynchii | M | 2.50 |
| sichlimii | 2" | 1.00 |
| vittatus | 3" | 3.00 |
| COLUMNEA banksii | S | 2.00 |
| gloriosa | S | 2.50 |
| hirta | S | 2.00 |
| linearis | 3" | 2.50 |
| microphylla | S | 2.50 |
| tulae flava | S | 3.00 |
| CORYTHOLOMA (Gesneria) cardinalis | S | 2.00 |
| EPISCIA Chocolate Soldier | 3" | 1.50 |
| chontalensis | 2" | .75 |
| cupreata | 3" | 1.25 |
| cupreata Acajou | 3" | 1.25 |

| | | |
|-------------------------------------|----|------|
| cupreata Emerald Queen | 3" | 1.25 |
| cupreata Frosty | 3" | 1.25 |
| cupreata metallica | 3" | 1.25 |
| cupreata splendens | 3" | 1.25 |
| cupreata viridifolia | 3" | 1.25 |
| dianthiflora | 2" | 2.00 |
| Harlequin | 3" | 2.50 |
| lilacina cuprea | 3" | 1.00 |
| lilacina variegata | 3" | 1.00 |
| lilacina viridis | 3" | 1.25 |
| punctata | 3" | 1.25 |
| reptans (fulgida) Scarlet Episcia | 3" | 1.25 |
| reptans 'Lady Lou' | 3" | 2.50 |
| Silver Sheen | 3" | 1.50 |
| tesselata see NAUTILOCALYX bullatus | | |
| Tropical Topaz (yellow flower) | 3" | 2.50 |
| GLOXINIA hybrids as available | 5" | 3.00 |
| KOHLERIA (ISOLOMA) eriantha | 3" | 2.00 |
| bogotensis | 3" | 3.50 |

| | | |
|---------------------------------------|----|------|
| NAUTILOCALYX (EPISCIA tess.) bullatus | 3" | 1.50 |
| forgetii | 3" | 2.50 |

| | | |
|-----------------------------------|------------|------|
| RECHSTEINERIA cardinalis | 3" 2.00 4" | 3.00 |
| leucotricha (Brazilian Edelweiss) | M | 4.00 |

SAINTPAULIA HYBRIDS:

| | | |
|--|----|------|
| Admiral (violet blue) | 3" | .75 |
| Azure Beauty (dble white w. blue) | 3" | 1.00 |
| Baltic Sea (light mauve) | 3" | 1.00 |
| Bicolor (two-tone) | 3" | .75 |
| Blue Boy (violet-blue) | 3" | .75 |
| Blue Peak (deep blue, white edge dbl.) | 3" | 1.50 |
| Blue Sail (violet-blue) | 3" | 1.00 |
| Confederate Beauty (deep velvety bl.) | 3" | 1.25 |
| Crimson Lake (maroon) | 3" | 1.00 |
| Double Delight (light blue) | 3" | 1.00 |
| Dupont Silver Blue (silvery blue) | 3" | 1.00 |
| Fantasy (speckled lilac) | 3" | 1.00 |
| Geneva Star (lavender, white edge) | 3" | 1.00 |
| Madonna (pure white double) | 3" | 2.00 |
| Mentor Boy (blue-purple) | 3" | .75 |
| Morning Girl (purple red) | 3" | 1.25 |
| Painted Girl (white and orchid) | 3" | 1.25 |
| Pink Cloud (large pink double) | 3" | 2.50 |
| Pink Fantasy (pink, darker eye) | 3" | 1.00 |
| Pink Fringette (lively pink) | 3" | 1.50 |
| Pink Wonder (large waxy-pink) | 3" | 1.25 |
| Roehrs Rose (pink w. dark eye) | 3" | 2.00 |
| Roehrs Snow-White (clear white) | 3" | .75 |
| Ruffled Queen (red lavender) | 3" | 1.50 |
| Snow Prince (large white) | 3" | 1.00 |
| Spring Sky (light blue) | 3" | 1.00 |
| Star Girl (white, blue edge) | 3" | 1.25 |
| Woodpecker (purple tipped) | 3" | 1.00 |


(For complete listing ask for African Violet list.)

SAINTPAULIA SPECIES:

| | | |
|------------|---|------|
| amaniensis | S | 2.00 |
|------------|---|------|

left to right:

EUPHORBIA fulgens
RUBUS reflexus pictus
PIPER magnificum
FICUS rub. variegata
HOYA carnosa var.



| | | |
|-----------------------------------|------------------|-------|
| diplotricha (Kewensis) | S | 1.00 |
| grotei | S | 1.00 |
| ionantha | S | 1.00 |
| magungensis | S | 2.00 |
| orbicularis | S | 2.00 |
| tongwensis | S | 2.00 |
| SINNINGIA reginae | 3" | 2.00 |
| speciosa | S | 2.50 |
| speciosa var. caulescens | 3" | 1.50 |
| SMITHIANTHA | S | 2.00 |
| STREPTOCARPUS caulescens (purple) | 3" | 1.25 |
| saxorum | S | 1.50 |
| GLORIOSA Rothschildiana | M | 4.00 |
| GRAPTOPHYLLUM pictum | 3" | 1.25 |
| GREVILLEA robusta, Silk Oak | M | 5.00 |
| GYNURA aurantiaca, Velvet Plant | 3" | 1.50 |
| HEDERA: see IVIES | | |
| HELICONIA aureo-striata | M | 10.00 |
| bihai | M 6.00 L | 12.00 |
| psittacorum | S 3.50 M | 6.00 |
| HEMIGRAPHIS colorata | 3" | 1.25 |
| HELXINE soleirolii | S | .50 |
| HIBISCUS rosa-sinensis | S 2.00 M | 5.00 |
| rosa-sinensis Cooperi | 3" | 2.00 |
| rosa-sinensis Double Red | S 2.50 M | 5.00 |
| rosa-sinensis Regius maximus | S 2.00 M 5.00 up | |
| rosa-sinensis Singapore | S 2.00 M | 6.00 |
| syriacus albus (Althea albus) | 4" | 1.75 |
| HOFFMANNIA ghiesbretii | 3" | 2.50 |
| ghiesbretii variegata | S | 4.00 |
| refulgens | 3" | 5.00 |
| HOMALOMENA humilis | S | 2.50 |
| rubescens | M | 5.00 |
| wallisii | 3" | 6.00 |
| HOYA angustifolia | S | 1.50 |
| australis | S | 1.50 |
| bandaensis | S | 2.50 |
| bella | S | 2.50 |
| carnosa, Wax Plant | 2" .75 3" | 1.50 |
| carnosa exotica | S | 2.00 |
| carnosa 'Silver Pink' | 3" | 3.50 |
| carnosa variegata | 2" 1.00 3" | 2.00 |
| keysii | S | 2.50 |
| motokii | 2" 1.00 3" | 2.00 |
| HYDRANGEA hortensis Merveille | S .75 M | 3.50 |
| macrophylla variegata | 3" | 2.50 |
| HYPOESTES sanguinolenta | 3" | 1.25 |
| HYMENOCALLIS speciosa | M | 7.50 |
| IMPATIENS holstii | S | .75 |
| holstii alba | S | .75 |
| oliveri | S | 1.50 |
| platypetala (yellow-orange) | S | 1.50 |
| sultanii | S | .75 |
| sultanii variegata | S | .75 |
| IRESENE herbstii | 3" | 1.00 |
| aureoreticulata | 3" | 1.00 |
| IOLEPIS gracilis (Scirpus) | S | 1.25 |

Ivies

| | | |
|-------------------------------------|------------|-------|
| HEDERA canariensis aureo-maculata | S | .75 |
| canariensis 'Ghost Tree' | M | 7.50 |
| canariensis variegata | S | .75 |
| helix, Old English Ivy | S | .25 |
| helix ballica | S | .50 |
| helix Birdsfoot | S | .40 |
| helix chrysocarpa | S | .75 |
| helix conglomerata | S | 1.00 |
| helix conglomerata erecta | S | 1.00 |
| helix cordata | S | .40 |
| helix cristata, Parsley Ivy | S | .40 |
| helix curlilocks | 2" | .50 |
| helix denticulata | S | .50 |
| helix Glacier | S | .60 |
| helix Golddust | S | .75 |
| helix 'Goldheart' | S | 1.00 |
| helix Green Spear | 2" | .75 |
| helix Hahn's selfbranching Ivy | S | .40 |
| helix Hahn's variegated | S | .35 |
| helix hibernica | S | .50 |
| helix Manda's crested Ivy | S | .40 |
| helix maculata | S | .75 |
| helix Maple Queen | S | .40 |
| helix marginata Silver Garland | S | .50 |
| helix meagheri | S | .75 |
| helix Merion Beauty | S | .40 |
| helix minor, Baby Ivy | S | .40 |
| helix minima | S | .50 |
| helix palmata | S | .50 |
| helix Pin Oak | S | .35 |
| helix Pittsburgh | S | .30 |
| helix Shamrock | 2" | .50 |
| helix Silver Emblem | S | .75 |
| helix Silver King | S | 1.00 |
| helix Smithii | S | .75 |
| helix Sylvanian Beauty | S | .75 |
| helix 238th Street | S | .50 |
| helix taurica | 2" | .50 |
| helix Weber's California | S | .40 |
| helix williamsiana | 2" | .75 |
| helix Jubilee | 2" | .75 |
| IXORA coccinea | 3" | 3.00 |
| javanica | 3" 2.50 4" | 4.00 |
| JACOBINIA (Justicia) carnea | S 1.50 4" | 3.00 |
| (Pachystachys) coccinea | 3" | 3.00 |
| JASMINUM officinalis grandiflorum | 3" | 1.50 |
| primulinum | S 1.25 M | 3.50 |
| revolutum | S 1.25 M | 3.50 |
| sambac, Arabian Jasmine | S 2.00 M | 4.00 |
| sambac Grand Duke | S 2.50 M | 5.00 |
| JUSTICIA extensa | M | 2.00 |
| KAEMPFERIA roscoeana (rotunda) | | |
| KENTIA forsteriana | S .75 M | 15.00 |
| (large combinations 25.00 to 75.00) | | |
| LEDENBERGIA | M | 5.00 |
| LEEA coccinea | M | 3.50 |



left to right:
 PEPEROMIA sandersii
 PEPEROMIA obt. variegata
 ARAUCARIA excelsa
 CROTON Corkscrew
 FICUS doescheri

| | | |
|---|----|------|
| LIGUSTRUM lucidum | S | 2.50 |
| MALPIGHIA coccigera, Miniature Holly | 3" | 2.00 |
| glabra | M | 3.00 |
| MANETTIA bicolor | S | 1.25 |
| LIGULARIA kaempferi aureo-maculata | 3" | 5.00 |
| kaempferi cristata (Farfugium jap. cr.) | 3" | 2.50 |
| LIRIOPE muscari variegata | M | 2.00 |

MARANTACEAE:

| | | | | | |
|----------------------------------|---|------|------|---------|----------|
| CALATHEA amabilis | S | 1.50 | M | 3.00 | |
| argyraea | S | 1.50 | M | 2.50 | |
| bachemiana (trifasciata) | | 3" | | 4.00 | |
| cllossonii | | 3" | | 3.50 | |
| fasciata | | | M | 8.00 | |
| glabra | | 3" | | 3.50 | |
| grandifolia | | | M | 3.00 | |
| insignis | | | S | 5.00 | |
| kegeliana | | 3" | | 3.50 | |
| lietzei | | 3" | | 2.00 | |
| louisae | S | 1.50 | M | 3.00 | |
| lutea | | 4" | | 3.50 | |
| makoyana | | 3" | | 4.00 | |
| medii-picta | | 3" | | 5.00 | |
| micans | | | S | 3.00 | |
| musaica | | | S | 7.50 | |
| ornata roseo-lineata | | 3" | | 4.00 | |
| picturata argentea | | 3" | | 3.00 | |
| princeps | S | 3.00 | M | 5.00 | |
| roseo-picta | | 3" | | 5.00 | |
| rufibarba | | 3" | | 3.00 | |
| setosa | | | M | 2.50 | |
| 'Tuxtle' | | 3" | | 3.00 | |
| van den heckei | | 3" | | 2.00 | |
| veitchii | | 3" | | 7.50 | |
| wiotii | | 3" | | 4.00 | |
| zebrina | S | 3.50 | M | 6.00 | |
| CTENANTHE lubbersiana | | 3" | 2.00 | 4" | 4.00 |
| oppenheimiana | | 3" | | 2.00 | |
| oppenheimiana tricolor | | 3" | | 3.00 | |
| MARANTA arundinacea | | 3" | 1.50 | 4" | 2.50 |
| arundinacea variegata | | 3" | | 3.00 | |
| bicolor | | 3" | | 1.50 | |
| leuconeura kerchoveana | | 3" | | 1.00 | |
| leuconeura massangeana | | 3" | | 2.50 | |
| CTENANTHE compressa (Bamburanta) | | | M | 2.50 | |
| PLEIOSTACHYS pruinosa | | | 4" | 3.50 | |
| <hr/> | | | | | |
| MARCGRACIA rectiflora | | | S | 3.00 | |
| MIKANIA hemispherica | | | 3" | 1.50 | |
| MIMOSA pudica, Sensitive Plant | | | S | 1.50 | |
| MONSTERA acuminata | | | 3" | 2.00 | |
| deliciosa juvenile form | | 4" | 4.00 | L | 15.00 up |
| deliciosa maturity form | | | M | 7.50 up | |
| friedrichsthali | | | S | 2.00 | |
| nechodomii | | | 3" | 1.50 | |
| perforoides | | | M | 6.00 | |
| pittieri | | | S | 2.00 | |
| MUEHLENBECKIA platyclados | | | S | 1.50 | |

| | | | | |
|--------------------------------------|----|------|----|-------|
| MURRAEA exotica | | M | | 3.00 |
| MUSA cavendishi | | M | | 15.00 |
| paradisica variegata | | M | | 20.00 |
| velutina | | M | | 10.00 |
| zebrina | | M | | 7.50 |
| MYRSINE africana | | M | | 2.50 |
| MYRTUS communis microphylla | 3" | 1.50 | M | 2.50 |
| communis variegatus | 2" | | | 2.50 |
| NEPENTHES balfouriana | | S | | 10.00 |
| dominiana | | S | | 7.50 |
| intermedia | | S | | 10.00 |
| NEPETA hederacea variegata | | 2" | | .75 |
| NEPHTHYTIS gravenreuthii | | S | | 7.50 |
| NEOMARICA caerulea | | 4" | | 4.00 |
| gracilis | S | 1.50 | M | 3.00 |
| northiana | S | 1.50 | M | 3.00 |
| NERIUM oleander variegata | S | 2.50 | M | 7.50 |
| NICODEMIA diversifolia | S | 2.00 | M | 3.50 |
| OCHNA multiflora | | 4" | | 2.50 |
| OPLISMENOS hirtellus variegatus | | 3" | | 1.00 |
| OPHIOPOGON japonicus | S | 1.00 | M | 2.50 |
| jaburan | | M | | 3.50 |
| ORCHIDANTHA maxillarioides | | 3" | | 3.00 |
| PACHYSANDRA variegata | | 3" | | 2.00 |
| PALISOTA barteri | | M | | 3.00 |
| Elizabethae | | M | | 3.50 |
| PANDANUS baptistii | S | 2.00 | M | 5.00 |
| pacificus | | S | | 2.50 |
| pygmaeus | | M | | 4.00 |
| sanderi | S | 2.00 | M | 4.00 |
| utilis, Screw Pine | | M | | 5.00 |
| veitchii | S | 1.00 | M | 3.50 |
| veitchii compacta | S | 2.00 | M | 5.00 |
| PASSIFLORA alato-coerulea (Pfordtii) | | S | | 1.50 |
| coreacea | | 3" | | 1.50 |
| racemosa (princeps) | | 3" | | 1.50 |
| trifasciata (maculifolia) | | 3" | | 2.00 |
| PELARGONIUM crispum var. | 2" | 1.00 | 3" | 2.00 |
| denticulatum filicifolium | | 3" | | 1.50 |
| dwarf golden red | | 3" | | 1.50 |
| formosa | | 2" | | 1.50 |
| fragans | 2" | 1.00 | 3" | 1.50 |
| graveolens | | 3" | | 1.00 |
| graveolens marginata | | 3" | | 2.00 |
| grossularioides | 2" | .75 | 3" | 1.50 |
| Peace | | 2" | | 1.50 |
| Peaches and Cream | | 3" | | 1.50 |
| peltatum Mad. Margot | | S | | 1.00 |
| Tobey | | 3" | | 1.50 |
| tomentosum, Peppermint Geranium | | 3" | | 1.50 |
| zonale Black Vesuvius | | S | | 1.50 |
| zonale Burdette Coutts | | S | | 1.50 |
| zonale Distinction | | 3" | | 1.50 |
| zonale Happy Thought | | 3" | | 1.00 |
| zonale Skies of Italy | | 3" | | 1.50 |
| zonale Velma | | 3" | | 2.00 |
| PELLIONIA daveauana | | S | | .75 |
| pulchra | | S | | 1.00 |

left to right:

EPIDENDRUM cochleatum

PHALAENOPSIS rotsch.

CATTLEYA trianae

CYPRIPEDIUM insigne

DENDROBIUM nobile

ONCIDIUM ornythorh.

ODONTOGLOSSUM pulch.



Orchids

| | | |
|------------------------------|----------|-------|
| ANOECTOCHILUS (Jewel Orchid) | S | 7.50 |
| ANGRAECUM distichum | S | 5.00 |
| BRASSAVOLA nodosa | S | 5.00 |
| digbyana | S | 10.00 |
| CATTLEYA bowringiana | S 7.50 L | 15.00 |
| Enid | M 8.50 L | 14.00 |
| mossiae | M 5.00 L | 10.00 |
| percivaliana | M | 4.00 |
| Priscilla alba | M | 10.00 |
| schroederiae | M | 10.00 |
| trianae | M 5.00 L | 10.00 |
| COELOGYNE cristata | S | 5.00 |
| dayana | M | 7.50 |
| massangeana | M | 7.50 |
| speciosa | M | 4.00 |
| CYMBIDIUM aloifolium | M | 6.00 |
| CYPRIPEDIUM aureum Surprise | M | 6.00 |
| fairrianum | S | 7.50 |
| harrissianum | M | 6.00 |
| insigne | M | 3.50 |
| lawrenseanum | M | 7.50 |
| maudiae | S | 12.50 |
| venustum | M | 7.50 |
| DENDROBIUM aggregatum | M | 7.00 |
| moschatum | M | 10.00 |
| nobile | M | 7.50 |
| phalaenopsis schroederianum | M | 7.50 |
| primulinum | M | 5.00 |
| wardianum | M | 10.00 |
| EPIDENDRUM ciliare | S | 5.00 |
| Obrienianum | M | 5.00 |
| pentotis | S | 5.00 |
| radiatum | S | 5.00 |
| tampense | S | 2.50 |
| GOMESA planifolia | S | 6.00 |
| HAEMARIA discolor dawsoniana | S | 17.50 |
| LAELIA anceps | M | 4.00 |
| lindleyana | M | 5.00 |
| MAXILLARIA tenuifolia | M | 7.50 |
| ODONTOGLOSSUM pulchellum | S | 7.50 |
| ONCIDIUM alatum | M | 7.50 |
| altissimum | M 5.00 L | 7.50 |
| baueri | M | 6.00 |
| carthaginense | S | 5.00 |
| flexuosum | S | 5.00 |
| Java | S | 7.50 |
| lanceanum | M | 20.00 |

| | | |
|-----------------------|----------|---------|
| ornythorhynchum | S | 6.00 |
| pulvinatum | M | 5.00 |
| sphacelatum | M 5.00 L | 7.50 up |
| tigrinum splendidum | S 3.50 M | 6.00 up |
| varicosum | S | 5.00 |
| wentworthianum | S | 7.50 |
| PHALUS grandifolius | M | 7.50 |
| PHALAENOPSIS amabilis | M | 15.00 |
| lueddemanniana | S | 7.50 |
| rothschildiana | M | 10.00 |
| PLATYCLINIS glumacea | S | 5.00 |
| SCHOMBURGKIA crispa | M | 7.50 |
| tibicinis | M | 10.00 |
| undulata | M | 12.00 |
| SELENIPEDIUM grande | M | 15.00 |
| STANHOPEA insignis | M | 7.50 |
| wardii | S | 10.00 |
| VANDA coerulea | M | 10.00 |
| teres | S | 3.00 |
| tricolor | M | 15.00 |
| VANILLA planifolia | S 3.50 M | 7.50 |
| ZYGOPETALUM mackayi | M | 10.00 |

| | | |
|----------------------------------|--------------------|-------|
| OSMANTHUS ilicifolius variegatus | 3" 1.75 4" 3.50 5" | 7.50 |
| delavayi | 3" | 1.25 |
| fragrans | 3" 1.25 L | 15.00 |
| OXALIS 'Firefern' | 3" | 1.50 |
| OXERA pulchella | 4" | 2.00 |
| PEPEROMIA acuminata | 3" | 1.00 |
| arifolia litoralis | S | 1.50 |
| bicolor | 3" | 2.00 |
| clusiaefolia | 3" | 1.50 |
| crassifolia | 3" | 1.00 |
| cubensis Yerba Linda | 3" | 1.00 |
| dolabriformis | 3" | 1.00 |
| fosteriana | 2" | 1.00 |
| qlabella varieqata | 3" | 1.00 |
| hederaefolia 'Blackie' | S | 1.00 |
| hederifolia | 3" | 1.25 |
| incana | 3" | 1.50 |
| maculosa sarcophylla | 3" | 2.00 |
| magnoliaefolia | S | .75 |
| magnoliaefolia variegata | 3" | 1.00 |
| marmorata 'Silver Heart' | 3" | .75 |
| monini | S | 1.00 |
| nigra | 3" | 1.50 |
| nummularifolia rotundifolia | S | 1.00 |
| nummularifolia | 3" | .75 |
| obtusifolia, Pepper Face | 3" | .75 |
| obtusifolia variegata | 3" | 1.00 |



left to right:

SYNGONIUM auritum
PHILODENDRON hastatum
PHILODENDRON radiatum
PHILODENDRON oxycd. var.
PHILODENDRON pertusum

| | | | | | |
|-------------------------------------|-----------|----------|--|------------|----------|
| ornata | S | 1.50 | sanguineum | M | 6.00 |
| peltifolia | 3" | 1.00 | schottii | S | 2.00 |
| pereskiaefolia | 3" | 1.50 | selloum | M | 5.00 |
| polybotrya (pericattii) | 3" | 1.25 | Silver Sheen | S | 1.00 |
| prostrata | 2" | 1.00 | simii | S 2.00 M | 3.50 |
| quadrangularis | S | 1.25 | sodirol | S 2.50 M | 4.00 |
| resedaeiflora | 3" | 2.00 | squamiferum | S 3.00 M | 5.00 |
| rubella (minima) | 2" | .50 | trifoliatum | S 2.50 M | 4.00 |
| sandersii | 3" | .75 | tripartitum x squamiferum | S 3.00 M | 5.00 |
| scandens | 3" | 1.00 | trisetum | S 2.00 M | 4.00 |
| verticillata | 3" | 1.50 | varifolium | S | 2.50 |
| verschaffeltii | S | 1.25 | verrucosum | S 3.00 M | 5.00 |
| PERISTROPHE angustifolia aureo-var. | 3" | 1.50 | warszewiczii | M | 12.00 |
| PHILODENDRON alatum | S | 5.00 | wendlandii | S 2.00 M | 4.00 |
| andreaeanum | S 4.00 M | 7.50 | PHOENIX roebelinii | S 2.00 M | 5.00 up |
| angustisectum | M | 4.00 | PHORMIUM tenax | M | 5.00 |
| bipinnatifidum | M | 10.00 | PILEA cadieri, Watermelon Pilea | S | .75 |
| brenesii | M | 5.00 | involucrata (spruceana) | S | .75 |
| calophyllum | M | 5.00 | microphylla (muscosa) | S | .75 |
| cannifolium | S 2.50 M | 5.00 | nummularifolia, Creeping Charlie | S | .50 |
| cordatum (true) | S | 2.00 | pubescens 'Silver Panamiga' | S | .75 |
| corrugosum | S 2.50 M | 4.00 | repens 'Black Panamiga' | S | .75 |
| crassum | M | 4.00 | serpyllifolia | S | .50 |
| crassinervum | M | 3.00 | PIPER betle | S | 2.00 |
| cruentum | S 2.50 M | 4.00 | futokadsura | 3" | 1.50 |
| erubescens | S 2.00 M | 4.00 | magnificum | 3" | 10.00 |
| fenzlii | S 2.50 M | 4.00 | nigrum, Black Pepper | S | 1.50 |
| fibrillosum | S 2.00 M | 4.00 | ornatum | S | 1.25 |
| "Florida" (squamif. x laciniat.) | M | 4.00 | PITTOSPORUM tobira | S 1.00 L | 20.00 |
| giganteum | M 7.00 L | 12.00 | tobira variegata | 4" 3.50 L | 25.00 |
| gloriosum | M | 10.00 | PLECTRANTHUS australis | 3" | 1.25 |
| (Monstera) guttiferum | S 1.00 M | 2.50 | oertendahl | 3" | 1.50 |
| hastatum variegatum (flavescens) | S | 6.00 | purpuratus | 3" | 1.00 |
| imbe | M | 6.00 | PLEOMELE gracilis | S 3.50 M | 7.00 |
| karstenianum | S 1.00 M | 2.50 | thalioides | S 5.00 M | 7.50 |
| krebsii | S | 1.00 | PLUMBAGO capensis | S 1.00 M | 4.00 |
| lacerum | S 3.00 M | 5.00 | coccinea | S | 2.00 |
| laciniatum (laciniosum) | S 2.50 M | 5.00 | PLUMERIA rubra (acuminata), Frangipani | M | 10.00 |
| lingulatum | S | 3.00 | rubra acutifolia | M | 10.00 |
| Lynette | M 5.00 L | 7.50 | PODOCARPUS macrophylla | S .50 L | 35.00 up |
| mamei | M | 7.50 | POINSETTIA see EUPHORBIA (succulents) | | |
| mandaiianum | S 2.50 M | 4.00 | POLYSCIAS (Aralia) balfouriana | S | 2.00 |
| melanochrysum | S | 3.50 | (Aralia) guilfoyl. victorae | S 2.50 M | 4.00 |
| "mexicanum" | S 1.00 M | 2.50 | filiciofolia | M | 3.50 |
| micans | S | .60 | fruticosa elegans | S 2.50 M | 3.50 |
| oxycardium (scandens) | S .35 M | 1.00 | POTHOS aureus — see SCINDAPSUS | | |
| oxycardium variegatum | M | 1.25 | jambae | S | 3.50 |
| panduriforme | S 2.00 M | 5.00 | PSEUDERANTHEUMUM alatum | 2" 1.50 3" | 2.00 |
| pertusum | 4" 4.00 L | 15.00 up | tricolor | 3" | 1.50 |
| pertusum variegatum | M | 10.00 | PUNICA granatum nana | S | 2.50 |
| pittieri | S 2.00 M | 6.00 | RHAPHIDOPHORA celatocaulis | S | 4.00 |
| radiatum (dubium) | S 2.00 M | 4.00 | decursiva | M 5.00 L | 15.00 |
| ruizii | M | 5.00 | laciniosa | S | 2.50 |
| sagittifolium | S 2.50 M | 4.00 | RHAPIS flabelliformis (excel.) | M 10.00 L | 35.00 up |
| sagittatum | S 3.00 M | 5.00 | RHEKTOPHYLLUM mirabile | M 5.00 L | 10.00 |
| | | | RHODOSPATHA hastata | S | 5.00 |

left to right:

FITTONIA versch. pearcei

ACORUS gram. albar.

FICUS radicans var.


ISOLEPIS gracilis

HEMIGRAPHIS colorata

STENOTAPHRUM amer. var.



| | | | | | |
|-------------------------------------|----------|---------|-------------------------------------|-------------------|-------|
| RHOEO discolor, Moses in the Cradle | M | 1.50 | STENOTAPHRUM americanum variegat. | S | 1.00 |
| discolor vittata | M | 2.50 | STEPHANOTIS floribunda | S | 2.00 |
| RHOICISSUS — see Cissus | | | STEU DNERA discolor | M | 10.00 |
| RHYNCHOSPERMUM jasminoides | S | 2.50 | STRELITZIA reginae, | 5" L (per growth) | 4.00 |
| ROHDEA japonica marginata | division | 5.00 | | | 7.50 |
| ROSA sinensis minima, Fairy Rose | 3" M | 4.00 | STREPTOSOLEN jamesonii | S | 1.00 |
| ROSMARINUS officinalis | S 1.00 M | 2.00 | STROBILANTHES dyerianus | S | 1.00 |
| RUBUS reflexus pictus | M | 3.00 | SYNGONIUM albolineatum | S | .50 |
| SAINTPAULIA see GESNERIADS. | | | auritum, Five Fingers | S 2.00 M | 4.00 |
| SANCHEZIA nobilis glaucophylla | S | 2.50 | erythrophyllum | S | 2.50 |
| SARCOCOCCA ruscifolia | S | 1.25 | hoffmannii | S | 1.00 |
| SAXIFRAGA cuscutaria | 3" | .75 | microphyllum | M | 2.00 |
| laxigata alba | 3" | 1.50 | podophyllum (Nephtytis liberica) | S | .40 |
| sarmentosa | S | .35 | podophyllum Emerald Gem | S | .50 |
| sarmentosa tricolor | S | 1.50 | Ruth Fraser | 3" | 1.50 |
| SCHEFFLERA actinophylla | S 1.50 M | 4.00 up | xanthophyllum, Green Gold | S | .75 |
| SCILLA violacea | 3" | 3.50 | wendlandii | S | 1.00 |
| SCIRPUS cernuus | | | Ysidro | M | 3.00 |
| (Isolepis gracilis) | S | 1.25 | TABERNAEMONTANA coronaria | S 2.00 M | 5.00 |
| SCHISMATOGLOTTIS novo-guin. | S 2.50 M | 4.00 | TACCA chantrieri | M | 2.50 |
| ornata | S | 4.00 | TETRAPANAX (Aralia) papyrifera | 5" | 4.00 |
| roebelinii see AGLAONEMA | | | TETRASTIGMA voinierianum | M | 3.50 |
| SCHIZOCENTRON elegans | S | 1.00 | TIBOUCHINA semidecandra | S 2.50 M | 4.00 |
| SCINDAPSUS aureus (Pothos) | M | .75 | TRADESCANTIA albiflora albo-vittata | 4" | 1.00 |
| aureus Marble Queen | M | 1.25 | blossfeldiana | 4" | 1.00 |
| pictus | M | 2.50 | blossfeldiana variegata | 4" | 2.00 |
| pictus argyraeus (Pothos argyr.) | M | 2.00 | laekenensis 'Rainbow' | 4" | 1.00 |
| SENECIO confusus | S | .75 | TETRANEMA (Allophyton) mexicana | S | 1.00 |
| micanoides | S | .75 | THUNBERGIA grandiflora | 5" | 6.00 |
| tropaeolifolius | 3" | 1.25 | TOLMIEA menziesii | 2" .50 4" | 1.50 |
| SERJANIA communis glabra | M | 2.00 | TRADESCANTIA fuscata | S | 1.50 |
| SERISSA foetida variegata | S .75 M | 2.00 | fluminensis variegata | M | 1.00 |
| SETCREASEA purpurea | M | 1.00 | navicularis | S | .75 |
| striata (Callisia) | M | 1.00 | TREYESIA sundaica | M | 7.50 |
| SOLANDRA longiflora | S 2.50 M | 5.00 | VIBURNUM suspensum | S | 2.00 |
| SONERILA margaritacea | 3" | 3.00 | VITIS see CISSUS. | | |
| SPARMANNIA africana | M | 6.00 | WEDELIA trilobata | 3" | 1.25 |
| SPATHICARPA sagittifolia | S | 2.50 | XYLOPHYLLA angustifolia | 3" | 2.50 |
| SPATHIPHYLLUM blandum | 5" | 6.00 | XANTHOSOMA lindenii | 3" | 5.00 |
| cannaefolium | S | 4.00 | atrivirens | M | 3.00 |
| floribundum | S 2.00 M | 3.50 | violaceum | M | 3.00 |
| friedrichsthali | M | 7.50 | daguae | 3" | 3.00 |
| clevelandii (Kochii) | S 2.50 M | 5.00 | ZAMIOCULCAS zamiifolia | M | 4.00 |
| SPIRONEMA fragrans (Trad. | | | ZEBRINA pendula | M | .75 |
| dracaenoides | S | 1.00 | ZEBRINA pendula discolor | 4" | 1.00 |
| melnikoffii (Callisia) | M | 1.00 | p. discolor multicolor | 4" | 1.25 |
| STENANDRIUM lindenii | 3" | 3.50 | p. tricolor | 4" | 1.25 |
| STENOSPERMATION popayanense | M | 3.00 | pendula quadricolor | M | 1.00 |
| | | | purpusii | S | .50 |



left to right:


KALANCHOE somaliense
KALANCHOE marmorata
CEPHALOCEREUS senilis
SEDUM guatemalense
STAPELIA gigantea
EUPHORBIA splendens

Succulents including Cacti.

| | | | | | |
|------------------------------------|---|------|--------------------------------------|---------|---------|
| AEONIUM arboreum | S | 1.00 | glauca | S | .50 |
| arboreum atro-purpureum | S | .40 | gibbiflora metallica | M | 1.00 |
| cooperi | S | .40 | perbella | S | .75 |
| haworthii | S | .35 | pulvinata | S | .40 |
| AGAVE americana | S | .30 | pulv-oliver | S | .75 |
| caribaea | S | 2.50 | set-oliver | S | .75 |
| decipiens | S | .30 | ECHINOCACTUS grusonii | S | .75 |
| sisalana | S | .25 | ECHINOCEREUS dasyacantha | S | .50 |
| stricta | M | 2.50 | ECHINOPSIS multiplex | S | .50 |
| victoriae reginae | S | 1.25 | ESPOSTOA lanata | S | .75 |
| AICHRYSOM domesticum variegatum | S | .40 | EUPHORBIA abyssinica | S | 3.50 |
| ALOE africana | S | .50 | fulgens | S | 1.00 |
| arborescens | S | .75 | grandicornis | M | 3.00 |
| aristata | S | .60 | hermentiana | S | .75 |
| beguinni | S | .75 | lactea, Candelabra Plant | S | .75 |
| brevifolia | S | .25 | lactea cristata (monstrose crest) | | 7.50 up |
| ciliaris | S | .50 | pulcherrima (Poinsettia) red | S | .50 |
| ferox | S | .50 | pulcherrima white, pink | S | .75 |
| humilis | S | .35 | pulvinata | S | .75 |
| humvir | S | .40 | pseudo-cactus | S | .75 |
| nobilis | S | .35 | splendens, Crown of Thorns | S .50 M | 3.00 |
| spinosissima | S | 1.00 | splendens bojeri | S | .75 |
| striata | S | .75 | submamillaris, Corn Cob Cactus | S | .40 |
| variegata | S | .75 | tirucallii | S | .75 |
| vera | M | 5.00 | FAUCARIA tigrina, Tiger Jaws | S | .40 |
| virens | S | .40 | FENESTRARIA rhopalophylla | S | 1.00 |
| ANACAMPSEOS rufescens | S | .50 | FEROCACTUS pilosus | S | .50 |
| ASTROPHYTUM asterias | S | 1.50 | FURCRAEA selloa marginata | S | 3.00 |
| myriostigma | S | .50 | GASTER-ALOE Spotted Beauty | S | .75 |
| ornatum | S | .70 | GASTERIA hybrida | S | .50 |
| BRYOPHYLLUM daigremontianum | S | .25 | maculata | S | .75 |
| hybrid (daigremontianum x tubifl.) | S | .40 | verrucosa | S | .75 |
| pinnatum | S | .50 | GASWORTHIA (Gasteria-Haworthia hyb.) | S | 1.00 |
| tubiflorum | S | .25 | GRAPTOPETALUM paraguayense | S | .50 |
| CARALLUMA europaea | S | .75 | GYMNOCALYCIUM mihanovichii | S | .75 |
| lutea | S | .75 | HAWORTHIA chalwinii | S | 1.00 |
| CEPHALOCEREUS chrysacantha | S | .50 | coarctata | S | .50 |
| palmeri | S | .50 | cuspidata | S | .60 |
| polyiophus | S | 1.50 | cymbiformis | S | .60 |
| senilis | S | 1.25 | fasciata | S | .50 |
| CEREUS jamacaru | S | .40 | margaretifera | S | .50 |
| CEREUS peruvianus hybrid | S | .35 | minima | S | 1.00 |
| peruvianus monstrosa | S | 1.00 | radula | S | .75 |
| CEROPEGIA woodii | S | 1.00 | tesselata | S | 1.00 |
| CHAMAECEREUS sylvestris | S | .50 | HEREROA neli | S | .40 |
| COTYLEDON barbeyi | S | 1.00 | HUERNIA pillansii | S | .75 |
| CRASSULA arborescens, Jade Plant | S | .25 | zebrina | S | .60 |
| arbor. variegata | S | .50 | HYLOCEREUS undatus (nightblooming) | M | 1.50 |
| argentea | S | .40 | KALANCHOE coccinea Blossfeldiana | S | .75 |
| cultrata | S | .50 | fedtschenkoi | S | .25 |
| deltoides | S | .50 | hybrids | S | .50 |
| lactea | S | .35 | marmorata | S | .40 |
| pseudo-lycopodioides | S | .25 | somaliense | S | .30 |
| pagoda, Necklace Plant | S | .30 | synsepala | S | 2.50 |
| rupestris, Rosary Plant | S | .30 | tomentosa, Panda Plant | S | .40 |
| tecta | S | .75 | KLEINIA pendula | S | 1.00 |
| tetragona, Miniature Pine Tree | S | .30 | tomentosa | S | 1.00 |
| ECHEVERIA elegans | S | .35 | LEMAIREOCEREUS beneckei | M | 3.50 |
| derenbergii | S | .35 | dumortieri | S | .50 |

left to right:

ALOE spinosissima
ALOE beguinni
ASTROPHYTUM ornatum
PACHYVERIA haagii
CARRALLUMA lutea
STAPELIA variegata



SUCCULENTS INCLUDING CACTI (Continued)

| | | | | | |
|-------------------------------------|---|------|--------------------------------|---|------|
| griseus | S | .50 | PILOCEREUS marginatus | S | .50 |
| pruinosis | S | .40 | PLEIOSPILOS bolusii | S | .60 |
| stellatus | S | .50 | nelii | S | .60 |
| weberi | S | .50 | PORTULACARIA afra variegata | S | .40 |
| LITHOPS species, Living Stone | S | 1.00 | REBUTIA kupperiana | S | .50 |
| LOBIVIA bruchii | S | .50 | RHIPSALIS cassutha | S | 1.50 |
| MAMMILLARIA affinis | S | .50 | cereuscula | S | 1.00 |
| bocasana, Fish Hook | S | .40 | paradoxa, Link Plant | S | 2.00 |
| bogotensis | S | .50 | SANSEVIERIA arborescens | S | 2.50 |
| campotricha | S | .50 | compacta | S | .50 |
| celsiana | S | .50 | cylindrica | S | 2.50 |
| columbiana | S | .50 | ehrenbergii | M | 5.00 |
| elongata | S | .75 | hahnii | S | .50 |
| elegans | S | .50 | nelsonii | S | .75 |
| geminispina | S | .50 | parva | S | .75 |
| hahnii | S | .50 | senegambica | S | .75 |
| parkinsonii, Owl Eyes | S | .50 | subspicata | S | .75 |
| phaeacantha | S | .50 | trifasciata | S | .35 |
| potosina | S | .50 | trifasciata craigii | M | 2.50 |
| mystax | S | .50 | trifasciata laurentii | S | .50 |
| rhodantha | S | .50 | zeylanica (true species) | S | 2.50 |
| vaupelii | S | .50 | SCHLUMBERGERA gaertneri | S | 2.00 |
| MELOCACTUS maxonii | S | .50 | makoyana | S | 2.00 |
| MESEMBRIANTHEMUM agninum | S | .30 | russelliana | S | 2.50 |
| deltoides | S | .30 | SEDUM adolphii | S | .25 |
| MONVILLEA cavendishii | S | 1.00 | guatemalense, Christmas Cheer | S | .25 |
| MONADENIUM lugardae | S | 1.00 | Hummels hybrid | S | .35 |
| MYRTILLOCACTUS geometrizans | S | .50 | morganianum, Burro Tail | S | .50 |
| NOPALEA cochenillifera | S | .75 | pachiphyllum | S | .25 |
| NOTOCACTUS apricus | S | .50 | treleasei | S | .25 |
| leninghausii | S | 1.00 | SENECIO stapeliiformis | S | .75 |
| mammulosus | S | .50 | SELENICEREUS McDondaldiae | S | 2.00 |
| ottonis | S | .50 | pteranthus | S | 1.00 |
| NYCTOCEREUS serpentinus | S | .50 | SEMPERVIVUM calcareum | S | .35 |
| OPUNTIA brasiliensis | S | .50 | STAPELIA gigantea, Zulu Giants | S | .50 |
| erinacea, Grizzly Bear | S | .75 | hirsuta | S | .50 |
| ficus - indica | S | 1.00 | variegata, Star Flower | S | .35 |
| mamillata, Boxing Glove | S | .40 | TRICHOCEREUS aureicolor | S | .50 |
| microdasys | S | .25 | pachanoi | S | .50 |
| microdasys albispina | S | .50 | pasacana | S | .60 |
| monacantha | S | .50 | spachianus | S | .50 |
| schickendantzii, Lion's Tongue | S | .35 | terscheckii | S | .60 |
| subulata | S | .75 | URBINIA agavoides (Echeveria) | S | .75 |
| rufida | S | .25 | ZYGOCACTUS truncatus | S | 1.00 |
| velutina | S | 1.00 | Gertrude Beahm | S | 1.00 |
| vilis | S | .40 | Madame Andre | S | 1.50 |
| PACHYCEREUS pringlei | S | 1.00 | delicatum | S | 1.50 |
| PACHYPHYTUM compactum | S | .60 | W. A. Manda | S | 1.50 |
| cornelius hybrid | S | .50 | violaceum | S | 1.25 |
| haagei | S | .75 | Llewellyn | S | 1.00 |
| PACHYVERIA brevifolia | S | .60 | Thanksgiving | S | 1.00 |
| clavifolia crestate | S | .75 | Amelia Manda | S | 2.00 |
| PEDILANTHUS tithymaloides variegat. | S | .75 | South Orange | S | 1.00 |
| tithymaloides nana compacta | S | 1.00 | | | |
| PERESKIA aculeata, Lemon Vine | S | 1.00 | | | |
| godseffiana | S | 1.50 | | | |
| PHYLLOCACTUS hybrid Brilliant | S | 1.50 | | | |
| stenopetalum | M | 2.50 | | | |

